


PASLANMAZ EŞİT TEE ASTM A 403-ANSI B 16.9 NORMUNDA

Stainless Steel Equal Tees According to ASTM A 403-TOL ANSI B 16.9



Standart Kaliteler
Standard Grades:
AISI 304L, 316L, 316Ti

N.P.S.	O.D.		C		T		WEIGHT CA KG
	INCH	MM	INCH	MM	SCH	MM	
1/2	0,840	21,34	1,000	25	10S	2,11	0,1
					40S	2,77	0,1
3/4	1,050	26,67	1,125	29	10S	2,11	0,1
					40S	2,87	0,2
1	1,315	33,40	1,500	38	10S	2,77	0,3
					40S	3,38	0,3
1 1/4	1,660	42,16	1,875	48	10S	2,77	0,5
					40S	3,56	0,6
1 1/2	1,900	48,3	2,250	57	10S	2,77	0,7
					40S	3,68	0,9
2	2,375	60,3	2,500	64	10S	2,77	0,8
					40S	3,91	1,2
2 1/2	2,875	73,0	3,000	76	10S	3,05	1,4
					40S	5,16	2,3
3	3,500	88,9	3,375	86	10S	3,05	1,8
					40S	5,49	3,2
4	4,500	114,3	4,125	105	10S	3,05	2,6
					40S	6,02	5,1
5	5,563	141,3	4,875	124	10S	3,40	4,6
					40S	6,55	9,4
6	6,625	168,3	5,625	143	10S	3,40	6,3
					40S	7,11	16,1
8	8,625	219,1	7,000	178	10S	3,76	11,4
					40S	8,18	31,0
10	10,750	273,0	8,500	216	10S	4,19	27,1
					40S	9,27	53,1
12	12,750	323,9	10,000	254	10S	4,57	38,0
					40S	9,53	77,0
14	14,000	355,6	11,000	279	10S	4,78	46,0
					Std	9,53	93,0
16	16,000	406,4	12,000	305	10S	4,78	57,0
					Std	9,53	116,0
18	18,000	457,2	13,500	343	10S	4,78	73,0
					Std	9,53	147,0
20	20,000	508,0	15,000	381	10S	5,54	111,0
					Std	9,53	182,0
24	24,000	609,6	17,000	432	10S	6,35	149,0
					Std	9,53	245,0